



Peak Oil

www.peakoil.co.uk

TECHNICAL DATA

Flushing Oil Automotive and Industrial Flushing Oil



Peak Oil Ltd

Foxwood Road, Sheepbridge, Chesterfield S41 9RF.

Tel: 01246 450242 Fax: 01246 456017

Email: info@peakoil.co.uk



TECHNICAL DATA

Flushing Oil

Automotive and Industrial Flushing Oil

This oil is formulated from specifically selected solvent refined mineral oils which imparts excellent natural cleaning properties.

The oil is primarily recommended for the flushing of gear boxes and engine crankcases in both automotive and industrial applications.

Performance Benefits

- ◆ *Excellent natural cleaning properties*
- ◆ *Excellent versatility can be used in automotive and industrial applications.*
- ◆ *Compatible with all mineral oil based systems*

Health and Safety

The product is mineral oil based and should be handled according to good standards of industrial hygiene. Further detailed information please is available on request.

Storage

Drums should be stored on their sides in a clean dry place and protected from extremes of temperature, store >5°C.



Batoyle Freedom Group

Lubricants of Excellence

Typical Physical Characteristics

Characteristic	Flushing Oil
Specific Gravity @ 15°C	0.870
Kinematic Viscosity @ 40°C (cSt)	22.0
Closed Flash Point °C	>190

The information given is correct to the best of our knowledge. It is offered in good faith but without guarantee as the conditions and methods of use of our products are beyond our control.