



Peak Oil

www.peakoil.co.uk

TECHNICAL DATA

Smoothrun Range Non-Detergent Engine Oils



Peak Oil

Peak Oil Ltd

Foxwood Road, Sheepbridge, Chesterfield S41 9RF.
Tel: 01246 450242 Fax: 01246 456017
Email: info@peakoil.co.uk



TECHNICAL DATA

Smoothrun Range

Non-Detergent Engine Oils

A range of lubricants that have been manufactured from solvent refined paraffinic base stocks to which have been added anti-oxidant, anti-rust and anti-wear additives.

Recommended for use in diesel and petrol engines when oil with detergent dispersant properties is not required. This is the case in pre-war and veteran vehicles. They may also be used when engines are operating under mild conditions, when oil change periods are frequent or where oil consumption is high.

Performance Benefits

- ◆ *Excellent resistance to oxidation*
- ◆ *Protection against rust and corrosion*
- ◆ *Suitable for pre-war and Veteran cars*
- ◆ *Protects moving parts against wear*
- ◆ *Suitable for older type gearboxes where extreme pressure additives are not required*

Health and Safety

The product is mineral oil based and should be handled according to good standards of industrial hygiene. Further detailed information please is available on request.

Storage

Drums should be stored on their sides in a clean dry place and protected from extremes of temperature, store >5°C.



Batoyle Freedom Group

Lubricants of Excellence

Typical Physical Characteristics

Smoothrun	10W	20W	30	40	50
Specific Gravity @ 15°C	0.878	0.880	0.888	0.895	0.900
Viscosity @ 40°C (cSt)	31.0	61.0	92.0	130.0	190.0
Viscosity @ 100°C (cSt)	5.35	8.40	10.80	13.60	17.30
Viscosity Index	107	105	101	98	96
Pour Point °C	-12	-12	-9	-9	-9
Closed Flash Point °C	202	207	218	221	229
SAE Rating	10W	20W	30	40	50

The information given is correct to the best of our knowledge. It is offered in good faith but without guarantee as the conditions and methods of use of our products are beyond our control.