



Peak Oil

www.peakoil.co.uk

TECHNICAL DATA

SYNTRA 'LONG LIFE' 5w/30 Synthetic Engine Oil



Peak Oil

Peak Oil Ltd

Foxwood Road, Sheepbridge, Chesterfield S41 9RF.

Tel: 01246 450242 Fax: 01246 456017

Email: info@peakoil.co.uk



TECHNICAL DATA

SYNTRA 'LONG LIFE' 5w/30

Synthetic Engine Oil

Syntra Long-Life 5W/30 is an 'ultra high performance' diesel/petrol crankcase lubricant for use in passenger cars and light commercial vehicles.

It is formulated using 'low saps' additive technology which makes it particularly suitable for use in the most modern Euro 4 and 5 engines, particularly those fitted with after treatment devices such as Diesel Particulate Filters, etc.

These engines are designed to meet the most stringent European emissions standards and the formulation and performance of the crankcase oil is crucial to achieving this.

Performance Benefits

- ◆ *Unique synthetic formulation meets the stringent requirements of VW 504.00 and 507.00 long drain performance standards*
- ◆ *Inherent low temperature viscosity and low frictional characteristics offers considerable engine efficiency and fuel economy advantages*

- ◆ *Exceptional High Temperature/High Shear stability maintains oil viscosity throughout the lubricants service life, giving maximum protection against engine wear and extended drain capabilities*
- ◆ *Excellent thermal and oxidation stability minimises varnish and other deposit formation, providing superior engine cleanliness, low volatility and reduce top up requirements*

Performance Specifications

ACEA-04	C3 / B4 / A3
MB	229.51
BMW	LL-04
VW	504.00 / 507.00



Batoyle Freedom Group

Lubricants of Excellence

Typical Physical Characteristics

Characteristic	Syntra 'Long Life' 5w/30
Specific Gravity @ 15°C	0.853
Kinematic Viscosity @ 40°C (cSt)	58.0
Kinematic Viscosity @ 100°C (cSt)	10.5
Viscosity Index	169 min

Health and Safety

The product is synthetic based and should be handled according to good standards of industrial hygiene. Further detailed information please is available on request.

Storage

Drums should be stored on their sides in a clean dry place and protected from extremes of temperature, store >5°C.

The information given is correct to the best of our knowledge. It is offered in good faith but without guarantee as the conditions and methods of use of our products are beyond our control.